

**Proven
Performance**

McCloskey
INTERNATIONAL
123 Sizer




123 Sizer

Heavy Duty Scalping Screen

The McCloskey 123 Sizer is ideal for quarry and mining applications where only very heavy duty equipment will meet your needs. With a high strength bolted construction screen box, and a high tensile steel punch plate, the 123 Sizer has the ability to handle the heaviest of materials.

"The 123 Sizer is a very durable machine and can handle the tough applications in our quarry".


Osaka Quarry Co Ltd.
Japan



Options
Finger deck



Step deck bofar



Punch plate



Features & benefits

Durable -

Wear resistant, high tensile steel punch plate on top deck prolongs screen life. End tensioned bottom deck creates ease of screen change.

Tough Side Plate -

25mm (1") plate on the side of the machine eliminates any damage from material build up.

Screenbox -


Heavy duty all bolted screen box, and the largest range of working angles.



Track Protection -

Complete track recess protected by cover plate, eliminates any potential damage to the tracks.

Separate Feeder and Incline Belt -

Separate feed provides more controlled feed, reduced blockage and stoppages. Heavy duty 48" wide separate incline belt allows for maximum stockpile.





123 Sizer dimensions and weight

Length - transport	9530mm (31'- 2")
Width - transport	2500mm (8'- 2")
Height - transport	3160mm (10'- 4")
Weight -	23,500kgs (51,800 lbs) - estimated

See it in action...
View working videos, customer testimonials and more at www.mccloskeyinternational.com

McCloskey
INTERNATIONAL

N.America & S.America
#1 McCloskey Road, RR#7
Peterborough, Ontario Canada,
K9J 6X8
1-877-Trommel
T (705) 295-4925
F (705) 295-4777
mccloskey@mccloskeyinternational.com

UK & International
47 Moor Road,
Coalisland,
Co Tyrone,
N.Ireland BT71 4QB
T +44 (0) 2887-740-926
F +44 (0) 2887-747-242
salesuk@mccloskeyinternational.com

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. McCloskey International assumes no liability resulting from errors or omissions in this document.



Standard Features



Durability

Branded components throughout.
Heavy duty hardox steel.
High efficiency diesel hydraulic system allows higher throughput and lower fuel consumption.



Maintenance/User friendly

Accessible engine bays.
Fixed walkways.
User friendly controls.
10 minute setup time.
Highly maneuverable onsite.



Authorised dealer.